

Biotinylated Ovine BMP4 Polyclonal Antibody

Antigen-affinity purified Donkey anti-ovine BMP4 antibody Catalog Number: GR109121

Background

Bone morphogenetic protein 4 (BMP4) is a member of the bone morphogenetic protein family which is part of the transforming growth factor-beta superfamily. This particular family member plays an important role in the onset of endochondral bone formation in humans. It has been shown to be involved in muscle development, bone mineralization, and uteric bud development. In human embryonic development, BMP4 is a critical signaling molecule required for the early differentiation of the embryo and establishing of a dorsal-ventral axis. BMP4 is secreted from the dorsal portion of the notochord, and it acts in concert with sonic hedgehog (released from the ventral portion of the notochord) to establish a dorsal-ventral axis for the differentiation of later structures.BMP4 stimulates differentiation of overlying ectodermal tissue.BMP4 has also been implicated in Fibrodysplasia Ossificans Progressiva in which it is overexpressed (1). Increase in expression of BMP4 has been associated with a variety of bone diseases, including the heritable disorder Fibrodysplasia Ossificans Progressiva.

References

1. Kan L, et al. (2004). Am. J. Pathol. 165 (4): 1107

Related products

- 1. GR238016 50 ml Reagent Reservoir, 100/case, 5 packs/case (pack of 20)
- 2. GR238004 Tissue Culture 96-well Microplate, individually packed, Case of 50
- 3. GR238019 1.5 ml Microcentrifuge tube with screw cap and free-standing, pack of 500
- 4. GR238007 125 ml leak-resistant HDPE bottle, colorless, pack of 24
- 5. GR238002 Microplate 12x8-Well Strip High Binding, Case of 50
- 6. GR238003 Microplate 12x8-Well Strip Medium Binding, Case of 50
- 7. GR238032 42592 Costar Stripwell Microplate 1 x 8 Flat Bottom, High Binding, Case of 100
- 8. GR238001 468667 Thermo Microplate 12x8-Well Strip Nunc Maxixorp F8, Case of 60
- 9. GR238031 96-well microplate sealer plastic, pack of 100

DECLARATION

THIS REAGENT IS FOR IN VITRO LABORATORY TESTING AND RESEARCH USE ONLY. DO NOT USE IT FOR CLINICAL DIAGNOSTICS. DO NOT USE OR INJECT IT IN HUMANS AND ANIMALS.



Biotinylated Ovine BMP4 Polyclonal Antibody

Antigen-affinity purified Donkey anti-ovine BMP4 antibody Catalog Number: GR109121

Description

<u>Size</u>: 50 μg

Species reactivity: Ovine, bovine

Specificity: Detects ovine BMP4 in direct ELISA and Western blot.

<u>Source</u>: Polyclonal Donkey IgG Purification: Antigen-affinity purified

Immunogen: E. coli derived recombinant ovine BMP4, Ser294-His409, and Accession #

NP 001103747.1

Endotoxin Level: <0.20 EU per 1 μg of the antibody by the LAL method.

Conjugate: Biotin

Formulation: Lyophilized from 0.2 μm filtered PBS with trehalose.

Application

Recommended concentration: Western blot: 0.1-0.2 µg/ml

Immunocytochemistry: 5-15 µg/ml

ELISA: 0.2-0.6 μg/ml

Neutralization: Measured by its ability to neutralize BMP4 induced alkaline phosphatase production in the ATDC5 mouse chondrogenic cell line [Nakamura, K. *et al.* (1999) Exp. Cell Res. **250**:351]. The Neutralization Dose (ND50) is typically 0.5 2.0 μg/mL in the presence of 30 ng/mL Recombinant Human BMP4 and 2 μg/mL heparin.

Preparation, Stability & Storage

Reconstitution: Reconstituted at 0.2 mg/ml in sterile PBS and 0.05% azide. Use a manual defrost freezer and avoid repeated freeze-thaw cycles.

- 12 months at -20°C to -70°C as supplied.
- 6 months from date of receipt, -20°C to -70°C after reconstitution.

FOR LABORATORY RESEARCH USE ONLY NOT FOR USE IN HUMANS AND ANIMALS